

Industrial Ethernet Network Cables (M-style) – CBLIP-ETH Series

CBLIP-ETH Series M-Style Industrial Ethernet Network Cables


M-style to M-style Industrial Ethernet Cable (MM) has M12 male threaded connectors at both ends, used to daisy chain the Class 6 SmartMotors over the Industrial Ethernet connectors. It is available in 1, 3 and 5 meter lengths. For straight ends, use part number CBLIP-ETH-MM-xM, where "x" denotes the cable length; for right-angle ends, use part number CBLIP-ETH-MM-xMRA.

Part Number	Description	Length
CBLIP-ETH-MM-1M	M-Style Connectors	1 meter
CBLIP-ETH-MM-3M	M-Style Connectors	3 meters
CBLIP-ETH-MM-5M	M-Style Connectors	5 meters


M-style to RJ45 Industrial Ethernet Cable (MRJ) has an M12 male threaded connector at one end and an RJ45 at the other, used for connecting the Class 6 SmartMotor over the Industrial Ethernet connectors to a master or slave device with RJ45 jacks. It is available in 1, 3 and 5 meter lengths. Use part number CBLIP-ETH-MRJ-xM, where "x" denotes the cable length.

Part Number	Description	Length
CBLIP-ETH-MRJ-1M	M-Style to RJ45 Connectors	1 meter
CBLIP-ETH-MRJ-3M	M-Style to RJ45 Connectors	3 meters
CBLIP-ETH-MRJ-5M	M-Style to RJ45 Connectors	5 meters

M-style to M-style Industrial Ethernet Cable (MM)



M-style to RJ45 Industrial Ethernet Cable (MRJ)



NOTE: Specifications are subject to changes without notice.